



Violence against Women, HIV, and Microbicides

Violence and HIV – both are potentially deadly and both have persistent negative effects on health and well-being. Multiple factors put women in violent relationships at increased risk of becoming infected with HIV and other sexually transmitted diseases (STDs), including:

Biological factors:

- Forced sex can increase risk of infection. Bleeding or tearing of the vaginal or rectal area creates passageways for HIV to enter the bloodstream, thus facilitating infection.
- Women are already at least twice as likely as men to contract HIV from unprotected sex, in part because semen carries more HIV than vaginal secretions.
- Vaginal membranes are exposed to infectious fluids for hours after sex. Younger women are at highest risk because the immature cervix is more vulnerable to damage.
- STDs often go undetected, and therefore untreated, in women. Untreated, they increase women's vulnerability to HIV and can lead to infertility, ectopic (tubal) pregnancy, infant mortality, and cervical cancer.

Economical factors:

- Lack of access to fair-wage jobs, minimal work experience or education, isolation, discrimination, deprivation of property rights, etc. are just some of the factors that can render women economically dependent on their partners.
- The power imbalance created by economic dependency and violence can leave women unable to “negotiate” condom use or to leave partners who put them at risk.

Cultural factors:

- Many societies, here and abroad, expect women to be faithful even when men are not. A woman's partner puts her at higher risk of HIV when he has multiple sex partners.
- In many cultures, girls are discouraged from learning about their bodies and sex and are taught to regard their bodies as the property of men (fathers, boyfriends or husbands). Under culturally enforced ignorance, powerlessness and the threat of violence, women experience little or no control over when and how sex happens in their lives and may see sexual decision-making – including condom use – as the domain of men.

What are microbicides?

Microbicides: (mī-KRO'-bī-sīdz) are products being developed to prevent the sexual transmission of HIV and other STDs when applied in the vagina or rectum. They are likely to come in a variety of forms such as a gel or cream inserted with an applicator, a sponge or time-released suppository, or an intra-vaginal ring that could potentially be used for months at a time.

Microbicides could benefit women in violent relationships.

Microbicides could help protect women in abusive relationships from sexually transmitted infections, including HIV, thus reducing the potential burden on their already compromised physical and psychological well-being. Microbicides could also prevent unplanned pregnancies. Since women in violent relationships are less likely to be able to negotiate contraceptive or condom use, microbicides could offer them a valuable alternative means of protection.

Will microbicides also work as birth control?

Some of the microbicides being investigated will prevent pregnancy and some will not. “Dual-action” contraceptive microbicides could provide both pregnancy and disease prevention to women wishing to meet both needs with one product. They would also offer a much-needed alternative to women choosing not to use hormonal birth control methods like pills or patches.

But we also need non-contraceptive microbicides. With condoms, women have to choose between childbearing and HIV prevention. Access to a non-contraceptive microbicide would give women a third option – one that blocks infection but still allows pregnancy to occur.

Will they protect against all STDs?

Although protection against HIV is the primary goal, each microbicide under development is tested against a range of common STDs. Several products appear capable of reducing risk of at least one or two other STDs, in addition to HIV. No one microbicide will be effective against all possible infections. But it is very likely that “broad-spectrum” microbicides, capable of preventing HIV and least a handful of other STDs, can be developed.

Will a woman be able to use a microbicide without her partner knowing about it?

The first microbicides will probably come in gels or creams – products that will increase vaginal lubrication somewhat. This may make using them secretly a bit of a problem for women in long-term partnerships. Second- and third-generation microbicides, however, are being formulated in ways that may minimize this effect. A flexible, microbicide-loaded vaginal ring, for example, could provide time-released protection with minimal lubrication change, thus meeting the needs of women who can't or don't want to discuss the issue of protection with their male partners.

A woman who can't safely raise the topic of HIV or STD risk with her partner may choose to claim that she is using the product for hygiene or sexual enhancement rather than for disease prevention. The substantial market for "vaginal cosmetics" of all types (such as douches and deodorant sprays) is problematic from a health standpoint. But it does show products are used in all parts of the world already and, hence, offer a ready excuse to the woman in need of a pretext for her microbicide use.

Why aren't microbicides available now?

Scientists have identified over two dozen potential microbicides and are testing them to find out which ones could be safe and effective for regular use. Unfortunately, not enough public funding is available to move their research along efficiently. Getting a microbicide on the shelves in the near future doesn't depend as much on the speed of scientific progress as it does on increasing the level of funding to support research, development and access. If we want microbicides, we have to demand sufficient governmental funding to develop them without delay.

Microbicides and Safety Planning

With microbicides, women could reduce infection and unwanted pregnancy risk, even in the context of forced unprotected sex. Women living with HIV could lower their risk of re-infection and minimize their already heightened vulnerability to STDs and vaginal infections. For HIV negative women, microbicides offer the hope of leaving an abusive relationship still uninfected. Women living with domestic violence struggle every day to regain control over their own bodies and futures. Microbicides could become one more tool for achieving that goal.

For more information, visit the Global Campaign's website www.global-campaign.org or contact us:

c/o PATH, 1800 K Street NW, Suite 800, Washington, DC 20006 USA

Phone: +1 (202) 822-0033 Fax: +1 (202) 457-1466 Email: info@global-campaign.org

or

Rebekah Webb, 7th Floor, 98 rue du Trone, Brussels 1050, Belgium

Phone: +32 (0)2 507 1221 Fax: +32 (0)2 507 1222 Email: rwebb@global-campaign.org

